

INSTRUCTION MANUAL FOR WATCH CALIBRE V501



THIS PRODUCT CONTAINS A BUTTON BATTERY

If swallowed or placed inside any part of the body, the battery can cause severe or fatal injuries within 2 hours or less.

Button batteries are hazardous whether new or used. Keep batteries out of reach of children.

If you think the battery may have been swallowed or placed inside any part of the body, seek immediate medical attention. Contact the Australian Poisons Information Centre immediately on 13 11 26

(New Zealand 0800 764 766) for 24 / 7 fast, expert advice.


NREAQ1

struction lanual

OR **ANALOGUE QUARTZ**

LORUS

HOW TO USE NON-CALENDAR MODEL




Pull the crown OUT to the FIRST click and set the time. Then push the crown IN.

Note: When you set the time, first set the minute hand to a properly advanced time, then return the minute hand to the correct time by turning it COUNTERCLOCKWISE.

HOW TO USE DAY/DATE MODEL The day of the week can be displayed bilingually (English/another language) and you can select either.

1. How to set the day and date



Turn the crown and set the and set the previous day and date. (The day and date can be selected alternatively and displayed in English or the other language.)

Pull out the crown to the second click position and set the present day and date by turning the minute hand.

Pull out the crown to the first click position. (The crown of this watch can be pulled out to the second " second click position.)

> turn clockwise to set the date only.)

etting for Cal. PC33 At the second click position, turn the ha clockwise and counterclockwise repeate between 11:15 pm and 3:45 am to select desired day and language. the hands

(For Cal. PC33,

Note: Do not attempt to set the day and date between the times of 9:00 pm and 4:00 am as this may cause the day and date displays to change out of sequence.

How to set the time



Pull out .
crown to the second click position and the acond hand position and the second hand stops. The second hand should be stopped on 12 o'clock position

Turn the crown and set the desired time.

Push the crown in to the normal position in accordance with a time

- clock position Be sure to check that the AM/PM is correctly set. (The day and date are designed to change once every 24 hours.)
- Change once every 24 hours.)
 To adjust the correct time for a quartz watch it is necessary to advance the minute hand 4 or 5 minutes ahead of the correct time and then turn it counterclockwise to set the designated time. hand

UMIBRITE WATCH

If your watch is a LORUS LUMIBRITE watch, it has following features.

LORUS LUMIBRITE watches absorb and store light energy from natural and artificial light sources and emit light in the dark. They are made of environmentally friendly material, and therefore, are harmless to human beings and the

- are harmless environment. With a full charge, LORUS LUMIBRITE watches glow in the dark hours longer than conventional luminous watches of this type. If exposed to a light of more than 500 lux (i.e., the brightness of a typical office) for approximately 10 minutes, or direct sunlight for 2 minutes, they will glow for hours.
- minutes, they will glow for hours. Since LORUS LUMIBRITE watches emit the light they store, the brightness will decrease gradually over time. The length of time they will glow may also differ slightly depending on such factors as the brightness of and distance from the light source used to charge the watch.

IBATTERY CHANGE

As the battery is inserted at the factory to check the function and performance of the watch, its actual life once in your possession may be less than the specified period.

Be sure to replace the battery to prevent any possible malfunction as soon as it runs down. To replace the battery, we recommend taking the watch to a local watch retailer.

ICARE OF YOUR LORUS WATCH

BATTERY



CAUTION

Do not expose the old battery to fire or recharge it. Keep it at a place beyond the reach of children. If a child swallows it, consult a doctor immediately.

VATER RESISTANT

WATER RESISTANT				
Condition of use Indication on the dial/case back	Accidental contact with water, such as splashes and rain	Swimming and taking a shower	Skin diving	Scuba diving
No Indication	NO	NO	NO	NO
WATER RESISTANT	YES	NO	NO	NO
WATER RESISTANT* (50M/5 BAR)	YES	YES	NO	NO
WATER RESISTANT* (100M/10 BAR) or above	YES	YES	YES	NO

- If your watch is 200 M/20 BAR, 100 M/10 BAR or 50 M/5 BAR water resistant, it is so indicated on the dial/case back.

 Do not press the buttons or turn the crown when the watch is wet.
- If the watch osed to salt water, rinse it d then wipe it thoroughly atch is expo water and

aution:

Leather straps are not water resistant except so indicated, even if the watch head is water resistant.

ALLERGIC REACTION

Because the case and band touch the skin directly, it is important to clean them regularly. If not, shirt sleeves may be stained and those with delicate skin may develop a rash. Please wear the watch with some play to avoid any possible allergic reaction. If you develop a rash on your wrist, stop wearing and consult a physician on your \
physician.

• MAGNETISM

Your watch will be adversely affected by strong magnetism. Keep it away from close contact with magnetic objects.

SHOCKS AND VIBRATIONS

Your watch may be worn for normal sports activities, but be careful not to drop it or hit it on hard surfaces.

TEMPERATURE

Your watch is preadjusted so that constant accuracy may be insured at normal temperature.

SERVICE When your LORUS watch requires repair or sevicing, please see the enclosed WARRANTY/GUARANTEE.

HOW TO ADJUST BAND LENGTH

Sliding clasp band





- up the adjusting flewdriver or something flap with a small ag with a sharpened
- Slide the clasp to adjust it to a desired size. The grooves on the Back side of the bracelet should fit into the convex portion on the clasp, then, close the adjust flap.

Wrong metho

If you do this way, the adjusting flap may be destroyed.



