

6-2006




ction


LORUS

CHARACTERISTICS

- Time/calendar display: Hour, minute, second, month, date and day of the week ۱.
- Time indication: 12-hour display format with PM indicator and 24-hour display format are 2. available
- Stopwatch: The stopwatch can measure up to 23 hours 59 minutes and 59 seconds in 1/ 100-second increments. Split time measurement is available.
- Alarm: The alarm can be set to sound at the designated time on a 24-hour basis. 4.
- **Chime:** The chime can be set to sound every hour on the hour with a single beep. 5.
- Countdown timer: The countdown timer can be set up to 23 hours 59 minutes and 59 6. seconds.
- Illuminating light: The built-in electro-luminescent (EL) light evenly illuminates the display for easy viewing in darkness.

BUTTONS AND DISPLAYS






Choice of 12-Hour/24-Hour format

The time display format in either 12-hour indication or in 24-hour indication can be selected alternately by pressing button B. Under the 12-hour indication format, "PM" mark appears in the afternoon, but no AM mark appears in the morning. Under the 24-hour indication format, no mark appears on the display. the display

HOW TO USE THE STOPWATCH

Press Button D to go to the STOPWATCH mode. The STOPWATCH mode indicator appears on the display.



Standard Measurem	ent



Start Stop Reset

Split Time Measurement



Measurement and release of split time can be repeated by pressing button C.


During the measurement, the STOPWATCH signal keeps flashing.

Press Button D to return to the TIME/CALENDAR mode.

HOW TO SET ALARM TIME Press Button D two times to go to the ALARM mode. The ALARM mode indicator appears on the display.

- 1. Press Button C to change the display to the ALARM SETTING mode. The hour digits start flashing.
- 2. Press Button B to set the hour digits. One digit
- 3.
- Press Button B to set the hour digits. One digit (flashing) is increased with each press of Button B. The digits are advanced quickly by keeping Button B pressed. Press Button D to confirm the hour setting and move on to the minute setting. The minute digits start flashing. Press Button B to set the minute digits. One digit (flashing) is increased with each press of Button B. The digits are advanced quickly by keeping Button B pressed. Press Button D to confirm the minute setting 4.
- Press Button D to confirm the minute setting and move on to the time zone setting. 5.
- Press Button B to select the time zone. Press Button C to complete the alarm setting. 7.

Press Button D to return to the TIME/CALENDAR mode.




Note: The alarm can be set only in one time zone

How to stop the alarm while sounding

The alarm sounds for 10 seconds at the designated time. To stop it manually while sounding, press any Button.

ENGAGEMENT/DISENGAGEMENT OF ALARM & CHIME

- 1. Press Button D two times to go to the ALARM mode.
- With each press of Button B, the alarm and chime can be engaged or disengaged in the following order. The ALARM singal and/or CHIME signal appear on the display accordingly. 2.



Press Button D to return to the TIME/ CALENDAR mode.

HOW TO USE TIMER

Press Button D three times to go to the TIMER mode. The TIMER mode indicator appears on the display.

- Press Button C to change the display to the TIMER SETTING mode. The hour digits start flashing
- Press Button B to set the hour digits. One digit (flashing) is increased with each press of Button B. The digits are increased quickly by keeping Button B pressed. 2.
- Press Button D to confirm the hour setting and move on to the minute setting. The minute digits start flashing. 3.
- Press Button B to set the minute digits. One digit (flashing) is increased with each press of Button B. The digits are increased quickly by keeping Button B pressed. 4.
- Press Button D to confirm the minute setting and move on to the second setting. The second digits start flashing. 5.
- Press Button B to set the second digits in the 6. same manner as the hour and minute setting.
- Press Button C to complete the timer setting.
 - TIMER mode indicator ND TU HE TH FR SA 🍸 😰 🕇 TU WE TH FR SA B 1.111 С <u>n n n</u> 11111 HOUR SETTING D L TP E TH FR SA В 111 88






Press Button B in the TIMER mode to start the countdown timer.

Press Button B to stop the countdown timer. 2. 3 To reset the timer, press Button C Press Button D to return to the TIME/CALENDAR

mode HOW TO SET SECOND TIME ZONE

Press Button D four times to go to the SECOND TIME ZONE. The SECOND TIME ZONE indicator appears on the display. 1. Press Button C to change the display to the TIME ZONE SETTING mode. The hour digits start florbing

- flashing.
- Press Button B to set the hour digits. One digit (flashing) is increased with each press of Button B. The digits are increased quickly by keeping Button B pressed. 2
- Press Button D to confirm the hour setting and move on to the minute setting. The minute digits start flashing. 3.
- Press Button B to set the minute digits. The minute digits are increased in 30-minute 4. increments
- Press Button C to complete the second time zone setting. 5.



Press Button D to return to the TIME/CALENDAR mode.

■ HOW TO USE EL BACKLIGHT In any mode press Button A to illuminate the display for about 3 seconds. Note:

- The backlight of the watch employs an electro-luminescent (EL) light, which tends to lose illuminating power after very long use. The illumination provided by backlight may be hard to see when viewed under direct sunlight.
- 2


BATTERY CHANGE

The miniature battery SEIKO CR2016, Maxell CR2016 or SONY CR2016 which powers your watch should last approximately 2 years. However, because it is inserted at the factory, the actual life of the battery once in your possession may be less than 2 years.

Be sure to replace the battery to prevent any possible malfunction as soon as it runs down. To replace the battery we recommend taking the watch to a local watch repair shop.

Note: If the alarm is used for more than 20 seconds a day and/or the illuminating light for more than 8 seconds a day, the battery life may be less than the specified period.

CARE OF YOUR LORUS WATCH BATTERY



WATER RESISTANT

Condition	Accidental			
A structure	contact	Swimming	Skin	Scuba

Indication on the dial/ case back	such as splashes and rain	and taking a shower	diving	diving
No Indication	NO	NO	NO	NO
WATER RESISTANT	YES	NO	NO	NO
WATER RESISTANT (50M/5 BAR)	YES	YES	NO	NO
WATER RESISTANT (100M/10 BAR or above	YES	YES	YES	NO

- If your watch is 200 M/20 BAR, 100 M/10 BAR or 50 M/5 BAR water resistant, it is so indicated on the dial/case back.
- Do not operate the buttons when the watch is wet.
- If the watch is exposed to salt water, rinse it in fresh water and then wipe it thoroughly dry.

Caution:

Leather straps are not water resistant except so indicated, even if the watch head is water resistant.

ALLERGIC REACTION

Because the case and band touch the skin directly, it is important to clean them regularly. If not, shirt sleeves may be stained and those with delicate skin may develop a rash. Please wear the watch with some play to avoid any possible allergic reaction. If you develop a rash on your wrist, stop wearing and consult a physician.

MAGNETISM

Your watch will not be affected by magnetism generated by household electric appliances.

SHOCKS AND VIBRATIONS

Your watch may be worn for normal sports activities, but be careful not to drop it or hit it on hard surfaces

TEMPERATURE

Your watch is preadjusted so that constant accuracy may be insured at normal temperature. Your

SERVICE

When your LORUS watch requires repair or sevicing, please see the enclosed WARRANTY/ GUARANTEE.

Printed in China